

RECEIVED

FEB 25 2014

DIV OF AG RESOURCES

For distribution and use only in
the State of Idaho

**FIFRA Sec. 24(c)
Special Local Need Label**

BASAGRAN®
herbicide

For weed control in alfalfa grown only for seed production

This label is valid until December 31, 2016, or until otherwise amended, withdrawn, canceled, or suspended.

EPA Reg. No. 7969-45

EPA SLN No. ID-960008

Directions For Use

Refer to the Basagran® herbicide main label, EPA Reg. No. 7969-45, for complete Directions For Use and all applicable restrictions and precautions. When following the instructions on this label, the user must have this label and the entire Basagran container label in possession at the time of pesticide application.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DO NOT apply this product in a way that will contact workers or others persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

Environmental Hazards

For terrestrial uses, **DO NOT** apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. **DO NOT** contaminate water when disposing of equipment washwaters or rinsate.

Bentazon, which is present in this product, is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

NOTICE: It is a violation of federal law to use any pesticide in a manner that results in the death of an endangered species or in adverse modification of their habitat.

BASF Corporation
26 Davis Drive, Research Triangle Park, NC 27709

Product Information

Basagran is intended for selective postemergence control of certain broadleaf weeds. Basagran does not control grasses. Basagran is effective mainly through contact action; therefore, weeds must be thoroughly covered with spray. Large crop leaf and weed leaf canopies shelter smaller weeds and prevent adequate spray coverage.

Seed alfalfa is tolerant to Basagran; however, some leaf speckling, leaf bleaching or whitening, and temporary stunting may occur under certain conditions. Applications made at or after flower bud formation may reduce seed yields.

Application Instructions

At application, alfalfa must have at least 2 trifoliolate leaves and have no flower bud formation. Make postemergence applications of Basagran early, when weeds are small and actively growing and before weeds reach the maximum size listed in the Application Rates for Specific Weed Growth Stages table. Early application to weeds produces the most beneficial effect on weed control and makes it easier to obtain thorough spray coverage. Delay in application which permits weeds to exceed the maximum size stated will result in inadequate control.

 **BASF**

The Chemical Company

Application Rates for Specific Weed Growth Stages

Weeds Controlled	Application Rates for Weed Growth Stage (per acre)					
	1 pint		1.5 pints		2 pints	
	Leaf Stage	Maximum Height (inches)	Leaf Stage	Maximum Height (inches)	Leaf Stage	Maximum Height (inches)
Lambsquarters, common ¹	Up to 4	1	Up to 6	1.5	Up to 6	2
Mayweed/Dogfennel	-	-	-	2	-	3
Mustard, wild	Up to 4	2	Up to 6	4	6 to 10	8
Nightshade, hairy ²	-	-	-	-	2 to 6	4
Purslane, common	-	-	Up to 4	1	4 to 6	2
Radish, volunteer	-	-	2 to 6	4	6 to 10	10
Shepherdspurse ³	-	-	Up to 6	4	6 to 10	8
Sugar beet, volunteer	-	-	2 to 4	-	4 to 8	-
Sunflower, wild	Up to 2	3	Up to 4	5	4 to 6	8

¹ Control requires the addition of 1 to 2 pints per acre of oil concentrate (2 pints maximum per acre).
² Basagran[®] herbicide does not control black nightshade or Eastern black nightshade.
³ DO NOT treat rosette before seed stalk appears.

Canada Thistle

Apply 2 pints of Basagran per acre when plants are from 8 inches tall to the bud stage. Make a second application at the same rate 7 to 10 days later.

Restrictions and Precautions

- DO NOT apply Basagran if alfalfa shows injury (leaf phytotoxicity and/or plant stunting) produced by any other prior herbicide applications because this injury may be enhanced and/or prolonged.
- DO NOT apply Basagran during prolonged periods of drought or during unseasonably cold weather or unsatisfactory control may result.
- Rainfall or overhead irrigation soon after application (within 4 hours) may nullify the effectiveness of Basagran.
- DO NOT apply this product through any type of irrigation system.
- Clean sprayer thoroughly prior to application of Basagran particularly if a herbicide was used which has the potential to injure the crop to be sprayed with Basagran.

- DO NOT apply when weather conditions favor drift from treated areas.
- DO NOT apply more than a total of 4 pints of Basagran per acre in one season. One pint of Basagran contains 0.5 pound of bentazon active ingredient (a.i.).
- DO NOT apply more than a total of 2.0 pounds of bentazon a.i. (from all sources) per acre per calendar year.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF"), or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

Basagran is a registered trademark of BASF.

© 2014 BASF Corporation
All rights reserved.

007969-00045.20140221.NVA 2014-04-004-0048

Supersedes: NVA 97-4-4-0044

24(c) registrant:
BASF Corporation
26 Davis Drive

Research Triangle Park, NC 27709



The Chemical Company