

RECEIVED

RECEIVED

MAR 21 2014

MAR 21 2014

DIV OF AG RESOURCES

DIV OF AG RESOURCES

GROUP

10

Herbicide



Bayer CropScience

Bayer CropScience LP
P.O. Box 12014
2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)

Liberty® 280 SL Herbicide

EPA REG No. 264-829

For use in Canola Seed Production

SLN No. ID-110006

24(c) Supplemental Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

THIS LABEL IS VALID UNTIL DECEMBER 31, 2016 OR UNTIL OTHERWISE AMENDED, WITHDRAWN, CANCELED OR SUSPENDED.

APPLICATION DIRECTIONS FOR CANOLA SEED PROPAGATION

Liberty® 280 SL Herbicide may be used in canola seed propagation as a foliar spray to selectively eliminate canola plants that do not carry a gene that imparts tolerance to glufosinate-ammonium and as such, can be applied to remove susceptible segregates during canola seed propagation. Breeding material not possessing the glufosinate-ammonium tolerance gene will be severely injured or killed if treated with this herbicide.

Apply Liberty® 280 SL Herbicide only to canola labeled as LibertyLink®. Uniform, thorough spray coverage is necessary to achieve consistent activity.

APPLICATION RATE AND TIMING

Up to three applications of Liberty® 280 SL Herbicide at up to 24.5 fl oz/A per application may be made to canola for seed production. Applications may be made from the cotyledon stage up to the early bolting stage (e.g., BBCH 18 - 30, between just prior to stem elongation/bolting, eight or more leaves and beginning of stem elongation, no internodes).

RESTRICTIONS TO THE DIRECTIONS FOR USE ON CANOLA FOR SEED PRODUCTION

- DO NOT apply more than three applications of Liberty® 280 SL Herbicide at up to 24.5 fl oz/A per application per growing season.
- DO NOT apply more than 73.5 fl oz/A of Liberty® 280 SL Herbicide per growing season.
- DO NOT apply Liberty® 280 SL Herbicide beyond the early bolting stage or within 65 days of harvesting canola seed.
- DO NOT use treated canola seed for food, feed or oil purposes.
- DO NOT apply Liberty® 280 SL Herbicide if canola shows injury from prior herbicide applications or environmental stress (drought, excessive rainfall, etc.).
- DO NOT apply this product through any type of irrigation system.
- Refer to the "Rotational Crop Restrictions" section under the "Information" heading of the Liberty® 280 SL Herbicide label for the appropriate rotational crop plant back intervals.