

Special Local Need

(SLN) Label



Dow AgroSciences

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Goal[®] 2XL

EPA Reg. No. 62719-424

24(c) Special Local Need Registration SLN ID-100004

(For Distribution and Use Only in the State of Idaho)

Broadleaf Weed (Cheeseweed, Filaree, Groundsel, Henbit and Speedwell) Control in Red Clover and White Clover Grown for Seed

Conditions and Risks of Use for Special Local Need

USE OF Goal[®] 2XL HERBICIDE (THE "PRODUCT") ON CLOVER GROWN FOR SEED (THE "CROP") FOR THIS SPECIAL LOCAL NEED MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS AS FURTHER DISCUSSED BELOW. READ AND UNDERSTAND THESE CONDITIONS AND RISKS OF USE FOR SPECIAL LOCAL NEED BEFORE USING THE PRODUCT ON THE CROP.

This Product is available for use in the manner described in this Supplemental Labeling on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of Crop injury, Crop yield reduction or Crop loss. The decision to use this Product in the manner described in this Supplemental Labeling must be made by each individual user on the basis of anticipated benefits versus (i) the potential risk of Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls and (iv) any other relevant factors.

By purchasing the Product for use, or using the Product, in the manner described in this Supplemental Labeling, you acknowledge and accept that:

- (1) you assume all risk of Crop injury, Crop yield reduction and Crop loss;
- (2) Dow AgroSciences does not make, and do not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this Supplemental labeling;
- (3) Dow AgroSciences does not make, and do not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of the Product on the Crop and disclaim all warranties, expressed or implied, including any implied warranty of merchantability;
- (4) Dow AgroSciences disclaims all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to Crop injury, Crop yield reduction and/or Crop loss;
- (5) these Conditions and Risks of Use for Special Local Need supersede any contrary representations or recommendations by Dow AgroSciences, or its respective agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.

If these Conditions and Risks of Use for Special Local Need are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container.

These Conditions and Risks of Use for Special Local Need are required by Dow AgroSciences and not specified by the US EPA or the State of Idaho.

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This label must be in the possession of the user at the time of pesticide application.
- Read the label affixed to the container for Goal[®] 2XL herbicide before applying. Follow all other applicable directions, restrictions, and precautions on the EPA-registered label.
- Use of Goal 2XL according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the product container.

Directions for Use

Goal 2XL may be applied for broadleaf weed (cheeseweed, filaree, groundsel, henbit and speedwell) control in red clover and white clover grown for seed. Goal 2XL may be applied at 2 to 6 fl oz (0.03 to 0.09 lb a.i.) per acre. Use lower rate in the rate range to control labeled weeds when applied preemergence or early postemergence up to the 6-leaf stage. Use higher rate for longer residual control of labeled weeds. Use a maximum of 6 fl oz of product per growing season.

Application

Apply Goal 2XL in a minimum spray volume of 20 gallons of water per acre. Spray volume should be increased as weed height and density increase. Use a low-pressure sprayer equipped with flat fan nozzles.

Application Timing

Make applications from December 1 through February 15 to established dormant clover. Post emergence applications will cause burning, crinkling or bronzing of clover foliage, particularly to the youngest trifoliates or buds present at the time of application. Temporary growth suppression may also result.

Specific Use Restrictions:

- Do not apply more than 6 fl oz (0.09 lb a.i.) of Goal 2XL per acre per application or more than 6 fl oz per acre per growing season.
- Apply with ground application equipment only.
- Apply only to healthy red clover or white clover. Do not apply to clover that has been weakened by disease, drought, excessive fertilizer or soil salts, freezing, nematodes, soil insects, winter injury, frost damage, flooding, hail or previously applied pesticides as severe injury may result.
- Use care when applying Goal 2XL. Avoid any spray contact with non-target foliage. Lettuce, cole crops, spinach, and other crops are highly sensitive to spray drift.
- Do not apply when weather conditions favor drift or erosion from target areas.
- **IMPORTANT:** Treated soil must be thoroughly incorporated to a depth of 4 inches after harvest (or abandoning) of the treated crop but prior to planting of the rotational crop. Failure to achieve this thorough and complete incorporation or to follow the required minimum plant-back interval may result in crop injury, stand reduction and/or vigor reduction of the plant-back crop. See product label for specific fallow bed crop planting requirements for applications of Goal 2XL made to a fallow bed or fallow field.
- **Rotation Crop Restrictions:** Do not rotate to small grain crops (includes barley, buckwheat, corn, pearl millet, proso millet, oats, popcorn, rice, rye, sorghum, triticale, wheat, wild rice) within 10 months following an application with Goal 2XL. Do not direct seed any crops, other than for which Goal 2XL is labeled, within 60 days following an application of Goal 2XL. Do not transplant seedling crops, other than those for which Goal 2XL is labeled, within 30 days following an application of Goal 2XL.

Expiration Date: This label is valid until December 31, 2020 or until otherwise amended, withdrawn, cancelled or suspended.

®Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

R843-125

Approved: __/__/__

Replaces: R843-099